

**DECLARATION OF CONFORMITY No. FMA/12/2017****1. Manufacturer of the product:**

SEMPRE FARBY Sp. z o.o. ul. Gen. J. Kustronia 60, 43-301 Bielsko-Biała

**2. Name of product:****MARESIL – polysilicate facade paint****3. Statistical classification:**

PKWiU: 20.30.11.0

**4. Purpose and scope of use of the product:**

Polysilicate polystyrene paint for "Poliaktiv", designed for decorative and protective coatings on typical construction substrates, including pre-coated acrylic resin coatings. Detailed information on the use of the product can be found in the technical data sheet

**5. Technical Specifications:**

Standard EN-1062-1: 2004 "Paints and lacquers. Paint products and coating systems used outside for walls and concrete. Classification."

Standard PN-C-81913:1998 „Disperse paint for painting facades of buildings”

**6. Declared technical characteristics of the product:**

	<b>Property</b>	<b>Declared value</b>
1.	Appearance and color of the coat	the coat without visible foreign inclusions, cracks and wrinkles, the color in addition to white according to the pattern
2.	Density, [g/cm <sup>3</sup> ]	1,5 ± 0,05
3.	Drying time at 20 ± 2 ° C and wet. relative air (55±5)%, degree 5, [ h ]	≤ 3
4.	Quality cover, no more than - white paint and bright pastel colors - paint in other colors	I II
5.	Scrub resistance to wet scrubbing, after 200 cycles, loss of thickness ( EN 13300:2001, IDT), [μm],	≤ 5 Klasa I
6.	Water vapor transmission coefficient V (EN 1062-1:2004, IDT), [g/(m <sup>2</sup> ×d)]	V <sub>1</sub> (duży) > 150
7.	Relative diffusion resistance Sd (equivalent thickness of air layer) (EN 1062-1:2004, IDT), [m],	< 0,14
8.	Water permeability W, (EN 1062-1:2004, IDT) [kg/m <sup>2</sup> × h <sup>0,5</sup> ]	W <sub>3</sub> (mała) ≤ 0,1

**7. Name and number of the accredited certification body or laboratory and the number of the type-certificate or type-examination certificate if such entity has participated in the applicable conformity assessment system:**

Not applicable

**8. I declare under full responsibility that the product covered by the declaration complies with the documents listed in point 5.**KIEROWNIK LABORATORIUM  
mgr Aleksandra Drózd

Bielsko- Biała 19.04.2017.

Miejsce i data wystawienia

Imię, nazwisko i podpis osoby upoważnionej